



A.39 SHARPING RCS 1184 LB/HB TRIMLESS





A.39 SHARPING RCS 2368 LB/HB TRIMLESS

design  
Carlotta de Bevilacqua











	LED 1 from Dthr (m)		
	2700 K	3000 K	4000 K
FL	0,55	0,55	0,80
WF	0,45	0,45	0,70
XF	0,35	0,35	0,50




**i**

Type	Lenght	Power [W]	I [mA]
A.39 SHARPING RCS LB	1184	22	900
	2368	44	900
A.39 SHARPING RCS HB	1184	33	900
	2368	2x33	900







**i**



1





2



OPTIC UNITS	Pout [W]	Driver code	
		Undimmable	Dimmable (DALI)
2x4	25	DV1022	DV1026
3x4	45	DV1023	DV1027
4x4	60	DV1024	DV1028
6x4	45+45	2xDV1024	2xDV1029

3

Type	Length	Power [W]	I [mA]
A.39 SHARPING RCS LB	1184	22	900
	2368	44	900
A.39 SHARPING RCS HB	1184	33	900
	2368	2x33	900




- ⊕ Rosso/Red/Rouge/Rot
- ⊖ Nero/Black/Noir/Schwarz

- ⊕ Rosso/Red/Rouge/Rot
- ⊖ Nero/Black/Noir/Schwarz




4




5


1




2




3




4




5




x 2




6






6









→	A white icon of a person sitting and reading a book, set against a black background.	<b>Y513001089</b>
---	--------------------------------------------------------------------------------------	-------------------





**Artemide**<sup>®</sup>  
ARCHITECTURAL



## **Artemide Spa**

via Bergamo, 18  
20010 Pregnana M.se (MI)  
ITALIA

Tel. +39 02 935 181  
Fax +39 02 935 90 254  
Fax +39 02 935 90 496

[www.artemide.com](http://www.artemide.com)

VAT IT00846890150

cod. Y513001036