


Luminaire

Code 2153010A
Name AoL SYSTEM C/W 60° SLAVE INTERM 3000K

Measurem.

Code FTS1902569
Name AoL SYSTEM C/W 60° SLAVE INTERM 3000K

Luminaire Flux	690.61 lm	Luminaire Power	8.00 W	Efficacy	86.33 lm/W	Efficiency	100.00%
Lamps Flux	690.61 lm	Maximum value	162.58 cd/klm	Position	C=20.00 G=5.00	CG	Sym. on planes 0-180
Rectangular Luminaire		Length	475 mm	Width	50 mm	Height	50 mm
Rectangular Luminous Area		Length	475 mm	Width	50 mm	Height	50 mm
Horizontal Luminous Area		0.023750 m2		Emitting area on Plane 180°		0.023750 m2	
Emitting area on Plane 0°		0.023750 m2		Emitting area on Plane 270°		0.002500 m2	
Emitting area on Plane 90°		0.002500 m2		Glare area at 76°		0.028790 m2	
Coordinate system		CG		Symmetry Type		Sym. on planes 0-180	
Date		17-05-2019		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		690.61 lm	
LED Flux=903lm LED Power=8W Eff=76% EfcLed=113lm/W EfcLum=86lm/W CCT=3000K Ra=80 SDCM=3 L70(6K)=50000h							
C.I.E.	33 61 83 70 100			D DIN 5040		B21	
F UTE	0.70 H + 0.30 T			B NBN		BZ 6	



Luminaire							
Code	2153010A						
Name	AoL SYSTEM C/W 60° SLAVE INTERM 3000K						
Measur.							
Code	FTS1902569						
Name	AoL SYSTEM C/W 60° SLAVE INTERM 3000K						
Luminaire Flux	690.61 lm	Luminaire Power	8.00 W	Efficacy	86.33 lm/W	Efficiency	100.00%
Lamps Flux	690.61 lm	Maximum value	162.58 cd/klm	Position	C=20.00 G=5.00	CG Sym. on planes 0-180	
Rectangular Luminaire		Length	475 mm	Width	50 mm	Height	50 mm
Rectangular Luminous Area		Length	475 mm	Width	50 mm	Height	50 mm
Horizontal Luminous Area		0.023750 m2		Emitting area on Plane 180°		0.023750 m2	
Emitting area on Plane 0°		0.023750 m2		Emitting area on Plane 270°		0.002500 m2	
Emitting area on Plane 90°		0.002500 m2		Glare area at 76°		0.028790 m2	
Coordinate system		CG		Symmetry Type		Sym. on planes 0-180	
Date		17-05-2019		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		690.61 lm	
LED Flux=903lm LED Power=8W Eff=76% EfcLed=113lm/W EfcLum=86lm/W CCT=3000K Ra=80 SDCM=3 L70(6K)=50000h							
C.I.E.	33 61 83 70 100			D DIN 5040	B21		
F UTE	0.70 H + 0.30 T			B NBN	BZ 6		

Apertura a destra non trovata, gamma =3

Apertura a destra non trovata, gamma =3

Apertura a destra non trovata, gamma =3