

## Luminaire

Code 2005030A  
Name DISCOVERY SPACE 75x150 S W NRO

## Measurerm.

Code FTS2000308  
Name DISCOVERY SPACE 75x150 S W NRO


Luminaire Flux	4002 lm	Luminaire Power	52.0 W	Efficacy	76.970 lm/W	Efficiency	100.00%
Source Flux	4002 lm	Maximum value	169.70 cd/klm	Position	C=90.00 G=90.00	CG	Sym. on planes 270-90
Rectangular Luminaire		Length	17 mm	Width	738 mm	Height	1500 mm
Rectangular Luminous Area		Length	1 mm	Width	665 mm	Height	988 mm
Horizontal Luminous Area		0.000665 m <sup>2</sup>		Emitting area on Plane 180°		0.000000 m <sup>2</sup>	
Emitting area on Plane 0°		0.000000 m <sup>2</sup>		Emitting area on Plane 270°		0.658350 m <sup>2</sup>	
Emitting area on Plane 90°		0.658350 m <sup>2</sup>		Glare area at 76°		0.000161 m <sup>2</sup>	
Coordinate system		CG Roads		Symmetry Type		Sym. on planes 270-90	
Date		25-02-2020		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		4002 lm	

LED Flux=7336lm LED Power=47W Eff=55% EfcLed=156lm/W EfcLum=77lm/W CCT=3000K Ra=90 SDCM=3 L70(6K)=50000 h

C.I.E. 20 45 72 50 100

D DIN 5040

C11



**Luminaire**

Code 2005030A  
 Name DISCOVERY SPACE 75x150 S W NRO

**Measurem.**

Code FTS2000308  
 Name DISCOVERY SPACE 75x150 S W NRO

Luminaire Flux	4002 lm	Luminaire Power	52.0 W	Efficacy	76.970 lm/W	Efficiency	100.00%
Source Flux	4002 lm	Maximum value	169.70 cd/klm	Position	C=90.00 G=90.00	CG	Sym. on planes 270-90
Rectangular Luminaire		Length	17 mm	Width	738 mm	Height	1500 mm
Rectangular Luminous Area		Length	1 mm	Width	665 mm	Height	988 mm
Horizontal Luminous Area		0.000665 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.658350 m2	
Emitting area on Plane 90°		0.658350 m2		Glare area at 76°		0.000161 m2	
Coordinate system		CG Roads		Symmetry Type		Sym. on planes 270-90	
Date		25-02-2020		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		4002 lm	
LED Flux=7336lm LED Power=47W Eff=55% EfcLed=156lm/W EfcLum=77lm/W CCT=3000K Ra=90 SDCM=3 L70(6K)=50000 h							
C.I.E.	20 45 72 50 100			D DIN 5040		C11	

Apertura a destra non trovata, gamma =0

Apertura a destra non trovata, gamma =0

Apertura a destra non trovata, gamma =0