

## Luminaire

Code 2001030APP\_R  
Name DISCOVERY SPACE 90X90 S RGBW APP COMP NR - RED

## Measurem.

Code FTS2000462  
Name DISCOVERY SPACE 90X90 S RGBW APP COMP NR - RED

Luminaire Flux	175 lm	Luminaire Power	11.0 W	Efficacy	15.909 lm/W	Efficiency	100.00%
Source Flux	175 lm	Maximum value	151.73 cd/klm	Position	C=90.00 G=89.00	CG	Asymmetrical
Rectangular Luminaire		Length	17 mm	Width	970 mm	Height	970 mm
Rectangular Luminous Area		Length	1 mm	Width	900 mm	Height	900 mm
Horizontal Luminous Area		0.000900 m2		Emitting area on Plane 180°	0.000900 m2		
Emitting area on Plane 0°		0.000900 m2		Emitting area on Plane 270°	0.810000 m2		
Emitting area on Plane 90°		0.810000 m2		Glare area at 76°	0.001091 m2		
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		12-11-2020		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		175 lm	


LED Flux=315,27lm LED Power=7,62W Eff=56% EfcLed=41lm/W EfcLum=16lm/W L70(6K)=60000 h

C.I.E. 20 45 72 50 100  
F UTE 0.50 J + 0.50 T

D DIN 5040  
B NBN

C11  
BZ 9

17mm x 970mm




Sempiani C

180.0 — 0.0  
270.0 — 90.0

ULOR 50.00 %

DLOR 50.00 %

RN 50.00 %



**Luminaire**

Code 2001030APP\_R  
 Name DISCOVERY SPACE 90X90 S RGBW APP COMP NR - RED

**Measur.**

Code FTS2000462  
 Name DISCOVERY SPACE 90X90 S RGBW APP COMP NR - RED

Luminaire Flux	175 lm	Luminaire Power	11.0 W	Efficacy	15.909 lm/W	Efficiency	100.00%
Source Flux	175 lm	Maximum value	151.73 cd/klm	Position	C=90.00 G=89.00	CG	Asymmetrical
Rectangular Luminaire		Length	17 mm	Width	970 mm	Height	970 mm
Rectangular Luminous Area		Length	1 mm	Width	900 mm	Height	900 mm
Horizontal Luminous Area		0.000900 m2		Emitting area on Plane 180°		0.000900 m2	
Emitting area on Plane 0°		0.000900 m2		Emitting area on Plane 270°		0.810000 m2	
Emitting area on Plane 90°		0.810000 m2		Glare area at 76°		0.001091 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		12-11-2020		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		175 lm	
LED Flux=315,27lm LED Power=7,62W Eff=56% EfcLed=41lm/W EfcLum=16lm/W L70(6K)=60000 h							
C.I.E.	20 45 72 50 100			D DIN 5040	C11		
F UTE	0.50 J + 0.50 T			B NBN	BZ 9		

Could not find 90270 right beam angle•gamma0180=0

Could not find 90270 right beam angle•gamma0180=0

Could not find 90270 right beam angle•gamma0180=0