


Luminaire

Code T086000+T086500
Name OBLIQUE LED WALL 20W 3000K ANTRACITE + PICCHETTO DI FISSAGGIO


Measurem.

Code FTS1602857
Name OBLIQUE LED WALL 20W 3000K ANTRACITE + PICCHETTO DI FISSAGGIO

Luminaire Flux	918.44 lm	Luminaire Power	20.00 W	Efficacy	45.92 lm/W	Efficiency	100.00%
Lamps Flux	918.44 lm	Maximum value	1446.74 cd/klm	Position	C=90.00 G=110.00	CG	Asymmetrical
Round Luminaire Round Luminous Area	Diam. 100 mm Diam. 80 mm	Height	160 mm 0 mm				
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.005027 m2 0.000000 m2 0.000000 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.000000 m2 0.000000 m2 0.001216 m2				
Coordinate system Date Measurement Distance	CG 05-05-2016 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux	Asymmetrical 180 918.44 lm				
LED Flux=1790,4lm LED Power=20W Eff=51% EfcLed=90lm/W EfcLum=45,92lm/W Ra=80 SDCM=3 L70(6K)=50000h							
C.I.E. F UTE	1 9 28 13 100 --	D DIN 5040 B NBN	D13 BZ 10				



ULOR 87.37 %
DLOR 12.63 %
RN 87.37 %



Luminaire

Code T086000+T086500
 Name OBLIQUE LED WALL 20W 3000K ANTRACITE + PICCHETTO DI FISSAGGIO

Measur.

Code FTS1602857
 Name OBLIQUE LED WALL 20W 3000K ANTRACITE + PICCHETTO DI FISSAGGIO

Luminaire Flux	918.44 lm	Luminaire Power	20.00 W	Efficacy	45.92 lm/W	Efficiency	100.00%
Lamps Flux	918.44 lm	Maximum value	1446.74 cd/klm	Position	C=90.00 G=110.00	CG	Asymmetrical
Round Luminaire		Diam.	100 mm	Height	160 mm		
Round Luminous Area		Diam.	80 mm	Height	0 mm		
Horizontal Luminous Area		0.005027 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.001216 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		05-05-2016		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		918.44 lm	
LED Flux=1790,4lm LED Power=20W Eff=51% EfcLed=90lm/W EfcLum=45,92lm/W Ra=80 SDCM=3 L70(6K)=50000h							
C.I.E.	1 9 28 13 100			D DIN 5040	D13		
F UTE	--			B NBN	BZ 10		

Could not find 90270 right beam angle•gamma0180=0

Could not find 90270 right beam angle•gamma0180=0

Could not find 90270 right beam angle•gamma0180=0