

## A.24 - Suspension Magnetic Track - Track + Indirect Emission - 2352mm - 2700K - Brushed Bronze



IP20 Dimmerable: + -


### DESIGN BY

Carlotta de Bevilacqua

### DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

### TECHNICAL DRAWINGS



### FEATURES

|                      |                                  |                |                                     |
|----------------------|----------------------------------|----------------|-------------------------------------|
| <b>Article Code:</b> | AQ40720                          | <b>Series:</b> | Indoor, 2018<br>Artemide Collection |
| <b>Colour:</b>       | Brushed Bronze                   |                |                                     |
| <b>Installation:</b> | Recessed,<br>Suspension, Ceiling |                |                                     |
| <b>Environment:</b>  | Indoor                           |                |                                     |

### DIMENSIONS

|                |        |
|----------------|--------|
| <b>Length:</b> | cm 235 |
| <b>Width:</b>  | cm 2.7 |
| <b>Height:</b> | cm 5.4 |

### INCLUDED SOURCES

|                  |     |                               |       |
|------------------|-----|-------------------------------|-------|
| <b>Category:</b> | LED | <b>Color temperature (K):</b> | 2700K |
| <b>Number:</b>   | 1   | <b>CRI:</b>                   | 80    |
| <b>Watt:</b>     | 33W |                               |       |
| <b>Type:</b>     | 0   |                               |       |

### LUMINAIRE

|              |     |                                      |        |
|--------------|-----|--------------------------------------|--------|
| <b>Watt:</b> | 33W | <b>Delivered lumens output (lm):</b> | 3004lm |
|              |     | <b>CCT:</b>                          | 2700K  |
|              |     | <b>CRI:</b>                          | 80     |
|              |     | <b>Dimmable Typology:</b>            | Dali   |

### Notes

Each linear, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. 1 suspension cable is also included.

**ACCESSORIES**



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ15401



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18000



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ15404



150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18100



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ16101



A.24 - Suspension Accessories - Insulating Spacer (x1) - Bushed bronze  
AQ49120



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ16104



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)  
AQ16000



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17104



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White  
AQ17601



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17604



150W Ceiling power supply - kit 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White  
AQ17501




150W Ceiling power supply - kit 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black  
AQ17504


AQ17604

A.24 - Suspension Accessories - End Cap (x2) - Brushed

DALI to DALI-Selv Interface 103x67x21H



bronze  
AQ49020



AQ18200



A.24 - Suspension  
Accessories -  
Transition Cap -  
Brushed bronze  
AQ49420



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101