


Track 230V External three-circuit track 4000mm White




DESIGN

Carlotta de Bevilacqua

BESCHREIBUNG

The system is a 3 phase mixed system with two additional conductors intended to manage a general data signal (for example dali, dmx, lon, eib, etc.). The system is EN 60570 certified and its installation must be accomplished by highly qualified person. There are four possible installation systems: directly on ceiling or on wall, using the needlepoints on the track, on ceiling or on wall using a metal clip, hanging by the suspension or recessed without exceeding the maximum loads.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	TK00401	Serie:	Indoor
Farbe:	White		
Installation:	Projector, Stromschiene		
Anwendungsbereich:	Innenbeleuchtung		

DIMENSION

Länge:	cm 400
Breite:	cm 31.4
Höhe:	cm 37.8

ZUBEHÖR



Track 230V
External three-circuit track - Flexible joint White
TK01501



Track 230V
External three-circuit track - Accessory for ceiling installation. White
TK20901



Track 230V
External three-circuit track - Recessed joint White
TK00801




Track 230V
External three-circuit track - Linear joint White
TK00901



Track 230V
External three-circuit track - 90° joint Internal earth conductor. White
TK01001



Track 230V
External three-circuit track - 90° joint External earth conductor. White
TK01101



Track 230V
External three-circuit track - 3-way joint Earth conductor on right. White
TK01201



Track 230V
External three-circuit track - 3-way joint Earth conductor on left. White
TK01301



Track 230V
External three-circuit track - 4-way joint White
TK01401



Track 230V
External three-circuit track - Kit suspension cables L. 1500 mm
TK20100




Track 230V
External three-circuit track - Kit suspension cables L. 3000 mm
TK20200



Track 230V
External three-circuit track - Kit suspension cables L. 5000 mm
TK20300



Track 230V
External three-circuit track - Plastic cup for steel cable Ø 1,5 mm
TK20501



Track 230V
External three-circuit track - Stem kit L. 1000 mm
White




Track 230V
External three-circuit track - T bracket for suspension




Track 230V
External three-circuit track - Universal adapter 6 conductors.

TK20401



Track 230V
External three-
circuit track -
Universal adapter
4 conductors.
White
TK20801

TK20600



Track 230V
External three-
circuit track - Stem
kit L. 1000 mm
Black
TK20404


White
TK20701



Track 230V
External three-
circuit track - End
cap White
TK00501



Track 230V
External three-
circuit track -
Power supply end
cap Earth
conductor on the
left. White
TK00601



Track 230V
External three-
circuit track -
Power supply end
cap Earth
conductor on the
right. White
TK00701



Track 230V
External three-
circuit track -
Universal
hookMaximum
load 10 kg.White
TK20001



Track 230V
External three-
circuit track - 90°
joint Internal earth
conductor. Black
TK01004