


Pad 230V Track - 14,5W 4000K - 12°

Carlotta de Bevilacqua



IP40  



LUMINAIRE

- Power Supply: **Electronic integrated**
- Watt: **14.5W**
- Voltage: **220V-240V**
- Delivered lumens output: **880lm**
- CCT: **4000K**
- Efficiency: **83%**
- Efficacy: **60.69lm/W**
- CRI: **0**

Notes

LED 13W 2x6° 4000K

DESCRIPTION

Series of projectors using high-efficiency led with monochromatic warm white (3000K) and neutral white (4000K) emission. Comprised of an aluminium body with bright anodized finish and a translucent cover in polycarbonate. Pad is available in four mounting options: with three-phase track adapter, with base plate or recessed plate for ceiling mounting, and in combination with the Algoritmo product line. The array of 12 leds (13W in total) lays on a metal core placed on the aluminium body of the projector that acts as heat dissipator. The special power supply system is housed within the body, thus allowing a direct connection to the electrical network (100-240V). The cover acts as a support for the lenses available in 3 beam options. It provides a diffused lighting effect while ensuring protection for the electrical parts. A smart hinge that combines reduced dimensions with a very large angular excursion provides extreme flexibility of rotation: rotation of up to 358°, tilt angle of up to +90°/-90°. Versions with surface ceiling plate and recessed ceiling plate are dimmable (Switchdim). Complies with EN60598-1 and other specific standards.

PRODUCT CODE: M200103

FEATURES

- Article Code: **M200103**
- Colour: **Translucent/Anodized**
- Installation: **Track**
- Material: **Aluminium, plastic**
- Series: **Architectural Indoor**
- Environment: **Indoor**
- Area contract: **Retail, Culture**
- Emission: **Accent Lighting**
- design by: **Carlotta de Bevilacqua**

DIMENSIONS

- Length: **cm 8.5**
- Width: **cm 1.6**
- Height: **cm 27**
- Inclination: **cm 9,090**
- Rotation: **358°**
- Weight: **kg 0.4**
- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **12W**
- Color temperature (K): **4000K**