


Artemide®




SYLT STAND ALONE









design
Carlotta de Bevilacqua






i









	0-10/1-10/ PUSH/DALI2	NO DIMM
60W	CH04000	CH04100



SYLT STAND ALONE LIGHTING APPLIANCES LIST			SUITABLE FOR	
	DESCRIPTION	CODE	WALL	CEILING
	SYLT DIFFUSED 600	CH10XXX	NO	YES
	SYLT DIFFUSED 1200	CH12XXX	NO	YES
	SYLT LA LINEA 25	CH20XXX	NO	YES
	SYLT GOPLE MINI	CH30XXX	NO	YES
	SYLT VECTOR 30	CH40XXX - CH41XXX	YES	YES
	SYLT VECTOR 40	CH43XXX - CH44XXX	YES	YES
	SYLT HELGOLAND 60	CH50XXX / CH51XXX	YES	YES
	SYLT HELGOLAND 90	CH53XXX - CH54XXX	YES	YES
	SYLT HELGOLAND 120	CH56XXX - CH57XXX	YES	YES
	SYLT UNTERLINDEN	CH60XXX	NO	YES
	SYLT SPHERE 9	CH70XXX	NO	YES
	SYLT SPHERE 14	CH80XXX	NO	YES


i





i













1



2




3





4

suggested $d_{\max} = 0,5 \text{ m}$




5







7




8




9







10



11






*REGULATION BY
· ACTIVE 0-10V or
· POTENTIOMETER
100 KOhm

12b

ONLY FOR CH04100



broadcast dimming output





**OPTIONAL POWER KIT ADDITION FOR APP-
COMPATIBILITY (TO BE PURCHASED SEPARATELY):
BLL-DALI RECESSED INTERFACE MAX 40 IND
cod. DV1054APP**





Y513001364



13





Artemide®



Artemide

via Bergamo, 18
20006 Pregnana M.se (MI)
ITALIA

tel. +39 02 935 181
fax +39 02 935 90 254
fax +39 02 935 90 496

www.artemide.com

VAT IT00846890150

cod. Y513002254