

Luminaire


Code AT19301+AT09505
Name A.39 SOSP DIR/IND 1184MM 840 ND BCO

Measur.

Code FTS1801069-A
Name A.39 SOSP DIR/IND 1184MM 840 ND BCO

Luminaire Flux	4537 lm	Luminaire Power	34.0 W	Efficacy	133.441 lm/W	Efficiency	100.00%
Source Flux	4537 lm	Maximum value	201.30 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	1184 mm	Width	45 mm	Height	85 mm
Rectangular Luminous Area		Length	1176 mm	Width	40 mm	Height	0 mm
Horizontal Luminous Area		0.047040 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.011380 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		26-02-2025		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		4537 lm	
LED Flux=5933lm LED Power=31W Eff=76% EfcLed=193lm/W EfcLum=133lm/W CCT=4000K Ra=90 R9=50 SDCM=3 L70(17k)=102000h							
C.I.E.	49 80 96 52 100			D DIN 5040		C31	
F UTE	0.52 E + 0.48 T			B NBN		BZ 4	

1184mm x 45mm



Semipiani C

180.0 — 0.0
270.0 — 90.0

ULOR 47.68 %

DLOR 52.32 %

RN 47.68 %

