





HOY SPOT 65 LENS RECESSED










design
Foster + Partners
Industrial Design








i



**A****TRIMLESS FRAME****B****TRIM FRAME**



2

$L_{\max} - \varnothing_{\max}$


$L_{\max}$ [m]	10	20	50
$\varnothing_{\max}$ [mm ²]	0,50	1,00	2,50

SELV
 $U_{OUT} \leq 60V$
L L
N N


	U_{OUT}	mA	W	DIMMING
DV1037	$\leq 60V \approx$	400	13.5	ND
DV1126	$\leq 60V \approx$	400	13.5	DALI / 0-10 / PUSH
DV1141APP	$\leq 60V \approx$	400	13.5	APP / PUSH

3A


A







4A



5A







$1 \text{ mm} \leq H \leq 18 \text{ mm}$

$18 \text{ mm} \leq H \leq 36 \text{ mm}$


$36 \text{ mm} \leq H \leq 50 \text{ mm}$




i




i




CLICK





5B





6B







7




i




8



9







10






11





Artemide®



Artemide

via Bergamo, 18
20006 Pregnana M.se (MI)
ITALIA

tel. +39 02 935 181
fax +39 02 935 90 254
fax +39 02 935 90 496

www.artemide.com

VAT IT00846890150

cod. Y513002200