





HOY SPOT 65 LENS SEMI RECESSED




design
Foster + Partners
Industrial Design







i







**A****TRIMLESS FRAME**

H =
36.8 mm

**B****TRIM FRAME**


H =
68.7 mm






1


Ø 70 mm



2



L_{\max} [m]	10	20	50
\varnothing_{\max} [mm ²]	0,50	1,00	2,50




SELV
 $U_{OUT} \leq 60V$


	U_{OUT}	mA	W	DIMMING
DV1037	$\leq 60V \text{ ---}$	400	13.5	ND
DV1126	$\leq 60V \text{ ---}$	400	13.5	DALI / 0-10 / PUSH
DV1141APP	$\leq 60V \text{ ---}$	400	13.5	APP / PUSH

3A


A







4A



5A




$H =$
68.7 mm




$1 \text{ mm} \leq H \leq 18 \text{ mm}$

$18 \text{ mm} \leq H \leq 36 \text{ mm}$


$36 \text{ mm} \leq H \leq 50 \text{ mm}$




i




i




CLICK






5B




6B







8




9




10




11






12



13





Artemide®



Artemide

via Bergamo, 18
20006 Pregnana M.se (MI)
ITALIA

tel. +39 02 935 181
fax +39 02 935 90 254
fax +39 02 935 90 496

www.artemide.com

VAT IT00846890150

cod. Y513002192