

Luminaire


Code WW02122
Name WALL WASHER TURN AROUND 600 3000K TIT.

Measurem.

Code FTS2600118
Name WALL WASHER TURN AROUND 600 3000K TIT.

Luminaire Flux	888 lm	Luminaire Power	11.0 W	Efficacy	80.727 lm/W	Efficiency	100.00%
Source Flux	888 lm	Maximum value	824.66 cd/klm	Position	C=180.00 G=14.00	CG Asymmetrical	
Rectangular Luminaire		Length	615 mm	Width	40 mm	Height	78 mm
Rectangular Luminous Area		Length	615 mm	Width	30 mm	Height	0 mm
Horizontal Luminous Area		0.018450 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.004463 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		02-03-2026		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		888 lm	
LED Flux=1475lm LED Power=10W Eff=60% EfcLed=148lm/W EfcLum=85lm/W CCT=3000K Ra=90 SDCM=3 L70(6k)=50000h							
C.I.E.	58 82 93 93 100			D DIN 5040	A41		
F UTE	0.93 D + 0.07 T			B NBN	BZ 3 / 1.25 / BZ 4		

615mm x 40mm



Semipiani C

180.0 — 0.0
270.0 — 90.0

ULOR 7.02 %
DLOR 92.98 %
RN 7.02 %

