



**Unterlinden
Outdoor**

Herzog & de Meuron

Artemide[®]

Authors

Herzog & de Meuron

Established in Basel in 1978, Herzog & de Meuron is a partnership led by Jacques Herzog and Pierre de Meuron together with Senior Partners Christine Binswanger, Ascan Mergenthaler, Stefan Marbach, Esther Zumsteg, and Jason Frantzen. An international team of nearly 500 collaborators including the two Founders, five Senior Partners, nine Partners, and 42 Associates work on projects across Europe, the Americas and Asia. The main office is in Basel with additional offices in London, New York, Hong Kong, Berlin and Copenhagen.

The practice has designed a wide range of projects from the small scale of a private home to the large scale of urban design. Many projects are highly recognized public facilities, such as museums, stadiums, and hospitals, and they have completed distinguished private projects including offices, laboratories and apartment buildings. Awards received include the Pritzker Architecture Prize (USA) in 2001, the RIBA Royal Gold Medal (UK), the Praemium Imperiale (Japan), both in 2007, and the Mies Crown Hall Americas Prize (USA) in 2014.



Unterlinden Outdoor

Herzog & de Meuron
2022

The characteristic aluminum head of the Unterlinden indoor family grows in a version with a 17 cm diameter instead of 11 cm, to obtain superior light performance and give rise to a perfect version for outdoor settings too.

In the bollard version, the rod exits the centre of the head without compromising its luminous efficiency achieved thanks to a special optics that opens the light along the path.

In the entire Unterlinden family, simplicity is combined with sophistication, expressed in well-balanced and understated shapes, devised with accurate care for details: functional, elegant and unique both in textures and finishes.



Unterlinden Outdoor

Materials:

Aluminium structure, aluminium lamp body,
technopolymer diffuser.

Colours:

Aluminium
Black

Dimensions:

Unterlinden Bollard: Ø175 x 146 x h 902 mm

Unterlinden Suspended: Ø175 x 141 x h 1180 mm

Unterlinden Wall: Ø175 x 141 x h 632 mm



Bollard Version





Suspension Version





Wall Version











Unterlinden Outdoor Family

Materials: Alluminium

Diffuser:

● Alluminium

Body:

● Black

IP67

CCT: 3000K

CRI=90

Unterlinden Bollard:

Total Power: 8W

Delivered Luminous Flux: 850 lm

Unterlinden Suspension:

Total Power: 15W



Delivered Luminous Flux: 1325 lm

Unterlinden Wall:



Total Power: 15W

Delivered Luminous Flux: 1325 lm



Unterlinden outdoor
Bollard



Unterlinden outdoor
Suspension




Unterlinden outdoor
Wall



BOLLARD

Heigth
902 mm

Code
T0792010



Driver

	Vac	L _{mm}	W _{mm}	H _{mm}	
24W CV 24VDC	110-240	185	35	35	DALI
90W CV 24VDC	110-240	250	63	30	0-10
90W CV 24VDC	110-240	250	63	30	DALI
25W CV 24VDC	110-240	148	40	32	Undimmable
60W CV 24VDC	110-240	163	43	32	Undimmable
90W CV 24VDC	110-240	161	61	36	Undimmable

Code
DV1041
DV1075
DV1076
T409996*
T409998*
T409999*

* IP connectors to be supplied by installator

SUSPENSION

Heigth
1180 mm

Code
T0790010



WALL

Heigth
632 mm

Code
T0791010





Headquarters

Artemide S.p.A.

Via Bergamo, 18
20006 Pregnana Milanese (MI), Italy
Tel. +39 02 93518.1
Tel. +39 02 93526.1
Numero verde 800 834 093
(from Italy only)
info@artemide.com
artemide.com



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018



CTF STAGE2
ISO 17025

Artemide S.p.A.

si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.

reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A.

se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A.

behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildeten Produkte zu ändern.

Artemide S.p.A.

se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.