

Luminaire

Code 1075010A_DIRETTA_2
Name ALE.01 - 3000K DALI BROWN_DIRETTA_2

Measurement

Code FTS2500014
Name ALE.01 - 3000K DALI BROWN_DIRETTA_2

Luminaire Flux	1584 lm	Luminaire Power	14.0 W	Efficacy	113.143 lm/W	Efficiency	100.00%
Source Flux	1584 lm	Maximum value	832.17 cd/klm	Position	C=290.00 G=15.00	CG	Sym. on planes 270-90
Rectangular Luminaire		Length	575 mm	Width	572 mm	Height	30 mm
Rectangular Luminous Area		Length	124 mm	Width	216 mm	Height	0 mm
Horizontal Luminous Area		0.026784 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.006480 m2	
Coordinate system		CG Roads		Symmetry Type		Sym. on planes 270-90	
Date		11-02-2025		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1584 lm	
LED Flux=1987lm LED Power=12W Eff=80% EfcLed=165lm/W EfcLum=113lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(9k)=54000h							
C.I.E.	86 96 99 100 100			D DIN 5040	A60		



