

Dreisnitz

Herzog & De Meuron



Artemide®

Authors

Herzog & de Meuron

Established in Basel in 1978, Herzog & de Meuron is a partnership led by Jacques Herzog and Pierre de Meuron together with Senior Partners Christine Binswanger, Ascan Mergenthaler, Stefan Marbach, Esther Zumsteg, and Jason Frantzen. An international team of nearly 500 collaborators including the two Founders, five Senior Partners, nine Partners, and 42 Associates work on projects across Europe, the Americas and Asia. The main office is in Basel with additional offices in London, New York, Hong Kong, Berlin and Copenhagen.

The practice has designed a wide range of projects from the small scale of a private home to the large scale of urban design. Many projects are highly recognized public facilities, such as museums, stadiums, and hospitals, and they have completed distinguished private projects including offices, laboratories and apartment buildings. Awards received include the Pritzker Architecture Prize (USA) in 2001, the RIBA Royal Gold Medal (UK), the Praemium Imperiale (Japan), both in 2007, and the Mies Crown Hall Americas Prize (USA) in 2014.



Dreispitz

Herzog and de Meuron
2023

A single product with double emission thus adapts to the three dimensions of space with different standalone and systemic versions. Dreispitz is a functional solution that is nonetheless poetic thanks to the simplicity of its geometry and the freedom it allows to create graphic compositions that combine horizontal and vertical elements. It represents industrial intelligence that can adapt to many different applications.

It can be a professional tool for office environments, a functional solution for the world of hospitality, a distinguishing feature for common areas, a unique piece that is both poetic and timeless, with the ability to blend seamlessly with any setting. It is versatile and universal.

Dreispitz is sustainable thanks to its intelligent industrial optimisation and the use of partially recycled, recyclable and easily dismantled materials. Its use leads to a good energy balance due to high efficiency and dynamic management of emissions.

Is indeed modular and dynamic not just in terms of composition but also in terms of management possibilities, which through the Artemide App offer the utmost freedom to design the perfect lighting for every situation, encouraging waste-free awareness of light and leaving everyone free to create their own lightscapes.



ARTEMIDE
APP




For further information on Dreispitz
visit artemide.com

Dreispitz technologies combinations



3 Diffused emissions



**Dreisnitz suspension
horizontal 120**
104 x 99 x 1132 mm
h max 1800 mm
rose Ø137 mm
Total Power: 42W

**Dreisnitz suspension
horizontal 150**
104 x 99 x 1412 mm
h max 1800 mm
rose Ø137 mm
Total Power: 56W

2 Diffused emissions




**Dreisnitz suspension
horizontal 120**
78 x 99 x 1132 mm
h max 1800 mm
rose Ø137 mm
Total Power: 29W

**Dreisnitz suspension
horizontal 150**
78 x 99 x 1412 mm
h max 1800 mm
rose Ø137 mm
Total Power: 33W




1 Controlled emission



**Dreispietz suspension
horizontal 120**
98 x 85 x 1132 mm
h max 1800 mm
rose Ø137 mm
Total Power: 19W

**Dreispietz suspension
horizontal 150**
98 x 85 x 1412 mm
h max 1800 mm
rose Ø137 mm
Total Power: 23W

2 Diffused emissions 1 Controlled emission



**Dreispietz suspension
horizontal 120**
98 x 99 x 1132 mm
h max 1800 mm
rose Ø137 mm
Total Power: 47W

**Dreispietz suspension
horizontal 150**
98 x 99 x 1412 mm
h max 1800 mm
rose Ø137 mm
Total Power: 55W

Controlled emission



High efficiency
63%

High efficacy
101 lm/W

Extreme glare control
UGR<19
Luminance<3000 cd/m² @ 65°

Controlled emission data only



Dreisnitz stand alone typologies

SUSPENSION VERTICAL




3 DIFFUSED EMISSIONS

FLOOR




3 DIFFUSED EMISSIONS

SUSPENSION HORIZONTAL




3 DIFFUSED EMISSIONS





2 DIFFUSED EMISSIONS


WALL/CEILING




2 DIFFUSED EMISSIONS



1 CONTROLLED EMISSION



2 DIFFUSED EMISSIONS
1 CONTROLLED EMISSION





DREISPITZ SUSPENSION HORIZONTAL

Silver Green Black



MacAdam 3SDCM
Diffused Emission
Life L70 (9k) > 50000h
*Controlled Emission
Life L70 (17k) > 102000h
CRI =90



IP20
⊕
*UGR < 19

3 Diffused emissions

Lenght	W	CCT	Flux	Color
1200 mm	42W	3000K	4931 lm	●
			4510 lm	●
			4408 lm	●
1500 mm	56W	3000K	6275 lm	●
			5741 lm	●
			5610 lm	●

DALI & PUSH

Code
1850000A
1850010A
1850030A
1851000A
1851010A
1851030A





2 Diffused emissions

Lenght	W	CCT	Flux	Color
1200 mm	29W	3000K	3287 lm	●
			3007 lm	●
			2939 lm	●
1500 mm	33W	3000K	4183 lm	●
			3827 lm	●
			3740 lm	●

DALI & PUSH

Code
1852000A
1852010A
1852030A
1853000A
1853010A
1853030A




1 Controlled emission*

Lenght	W	CCT	Flux	Color
1200 mm	19W	3000K	1860 lm	●
				●
				●
1500 mm	23W	3000K	2325 lm	●
				●
				●

DALI & PUSH

Code
1854000A
1854010A
1854030A
1855000A
1855010A
1855030A







1 Controlled emission* + 2 Diffused emissions

Lenght	W	CCT	Flux	Color
1200 mm	47W	3000K	5147 lm	●
			4867 lm	●
			4799 lm	●
1500 mm	55W	3000K	6508 lm	●
			6152 lm	●
			6065 lm	●

DALI & PUSH

Code
1856000A
1856010A
1856030A
1857000A
1857010A
1857030A





DREISPITZ SUSPENSION VERTICAL - WALL/CEILING

Silver

Green


Black

MacAdam 3SDCM
Life L70 (6k) 50000h
CRI =90

IP20



DREISPITZ SUSPENSION VERTICAL

3 Diffused emissions					DALI & PUSH	
Lenght	W	CCT	Flux	Color	Code	
900 mm	30W	3000K	3586 lm		1858000A	
			3280 lm		1858010A	
			3206 lm		1858030A	
1200 mm	40W	3000K	4931 lm		1859000A	
			4510 lm		1859010A	
			4408 lm		1859030A	



DREISPITZ WALL/CEILING

2 Diffused emissions					DALI & PUSH	
Lenght	W	CCT	Flux	Color	Code	
900 mm	20W	3000K	2391 lm		1861000A	
			2187 lm		1861010A	
			2137 lm		1861030A	
1200 mm	28W	3000K	3287 lm		1862000A	
			3007 lm		1862010A	
			2939 lm		1862030A	





DREISPITZ FLOOR

Silver

Green

Black

MacAdam 3SDCM

Life L70 (6k) 50000h


CRI =90

IP20

⊕

DREISPITZ FLOOR


3 Diffused emissions				APP & PUSH	
W	CCT	Flux	Color	Code	
52W	3000K	6250 lm	●	1860000APP	
		5720 lm	●	1860010APP	
		5590 lm	●	1860030APP	














Dreispitz Outdoor





DREISPITZ OUTDOOR

Silver

Green



Black

MacAdam 3SDCM
Life L70 (6k) 50000h
CRI =90

IP65

SUSPENSION VERTICAL

3 Diffused emissions					
Lenght	W	CCT	Flux	Colors	Code
900 mm	30W	3000K	3586 lm		1858000A
			3280 lm		1858010A
			3206 lm		1858030A
1200 mm	42W	3000K	4931 lm		1859000A
			4510 lm		1859010A
			4408 lm		1859030A





Dreisnitz is compatible with **Artemide App**

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.



Download Artemide App
and find more information on
artemide.com

Headquarters

Artemide S.p.A.

Via Bergamo, 18
20006 Pregnana Milanese (MI), Italy
Tel. +39 02 93518.1
Tel. +39 02 93526.1
Numero verde 800 834 093
(from Italy only)
info@artemide.com
artemide.com

Communication and Marketing Department

Via Canova, 34
20145 Milan (MI), Italy
Tel. +39 02.349611
marketing@artemide.com
artemide.com

Artemide S.p.A.

si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.

reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A.

se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A.

behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildeten Produkte zu ändern.

Artemide S.p.A.

se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018