

Luminaire

Code FT31001_1m
Name La Linea 25 - Funivia Outdoor_1m

Measurem.

Code FTS2500084
Name La Linea 25 - Funivia Outdoor_1m

| | | | | | | | |
|--|-----------------|-----------------|---------------|-----------------------------|----------------|--------------------|--------------------|
| Luminaire Flux | 509 lm | Luminaire Power | 4.8 W | Efficacy | 106.042 lm/W | Efficiency | 100.00% |
| Source Flux | 509 lm | Maximum value | 101.54 cd/klm | Position | C=30.00 G=3.00 | CG | Double Symmetrical |
| Rectangular Luminaire | | Length | 1000 mm | Width | 25 mm | Height | 25 mm |
| Rectangular Luminous Area | | Length | 1000 mm | Width | 25 mm | Height | 25 mm |
| Horizontal Luminous Area | | 0.025000 m2 | | Emitting area on Plane 180° | | 0.025000 m2 | |
| Emitting area on Plane 0° | | 0.025000 m2 | | Emitting area on Plane 270° | | 0.000625 m2 | |
| Emitting area on Plane 90° | | 0.000625 m2 | | Glare area at 76° | | 0.030305 m2 | |
| Coordinate system | | CG | | Symmetry Type | | Double Symmetrical | |
| Date | | 20-03-2025 | | Maximum Gamma Angle | | 180 | |
| Measurement Distance | | 0.00 | | Measurement Flux | | 509 lm | |
| EfcLum=106lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(6k)=36000h | | | | | | | |
| C.I.E. | 30 56 79 50 100 | | | D DIN 5040 | | C11 | |
| F UTE | 0.50 J + 0.50 T | | | B NBN | | BZ 7 | |

