


## Luminaire

Code 1829W10A+1828010A  
Name CRIOSFERA 2700K + CRIOSFERA STRUTTURA F

## Measurem.

Code FTS2600110  
Name CRIOSFERA 2700K + CRIOSFERA STRUTTURA F

Luminaire Flux	1881 lm	Luminaire Power	17.0 W	Efficacy	110.639 lm/W	Efficiency	100.00%
Source Flux	1881 lm	Maximum value	128.81 cd/klm	Position	C=160.00 G=90.00	CG	Asymmetrical
Round Luminaire		Diam.	100 mm	Height	540 mm		
Round Luminous Area		Diam.	100 mm	Height	532 mm		
Horizontal Luminous Area		0.007854 m2		Emitting area on Plane 180°		0.053200 m2	
Emitting area on Plane 0°		0.053200 m2		Emitting area on Plane 270°		0.053200 m2	
Emitting area on Plane 90°		0.053200 m2		Glare area at 76°		0.053520 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		09-10-2025		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1881 lm	
LED Flux=2029lm LED Power=13W Eff=93% EfcLed=156lm/W EfcLum=111lm/W CCT=2700K Ra=90 R9=50 SDCM=3 L70(9k)=50000h							
C.I.E.	9 33 65 50 100			D DIN 5040		C11	
F UTE	--			B NBN		BZ 10	



ULOR 50.00 %  
DLOR 50.00 %  
RN 50.00 %

