

# Walking

Carlotta de Bevilacqua



**Artemide**<sup>®</sup>

# Walking

Carlotta de Bevilacqua  
2017

Walking is a family of outdoor appliances that design dynamic lighting landscapes with a new and different approach focused on human perception for visual and psychological details.

It can create different luminous landscapes starting from three white or coloured lighting performances,

either single or combined within the same element according to a space gradient of structures of different heights.

It defines a new, exciting lighting language, respectful of the surrounding space, which it approaches with deeds that promote its perception and a man-sized experience. A dynamic discovery of space that is allowed, among other things, by the possible interaction with sensors, the Artemide App and advanced intelligences.

either single or combined within the same element according to a space gradient of structures of different heights.

It defines a new, exciting lighting language, respectful of the surrounding space, which it approaches with deeds that promote its perception and a man-sized experience. A dynamic discovery of space that is allowed, among other things, by the possible interaction with sensors, the Artemide App and advanced intelligences.



ARTEMIDE  
APP  
on request




For further information on Walking  
visit [artemide.com](http://artemide.com)







2500  
2100  
1800  
900  
600



ASYMMETRIC EMISSION



ASYMMETRIC EMISSION + LIGHT BLADE



ASYMMETRIC EMISSION + LIGHT BLADE





LIGHT BLADE

# Walking optical system

It can create different luminous landscapes starting from three white or coloured lighting performances, either single or combined within the same element according to a space gradient of structures of different heights.

It defines a new, exciting lighting language, respectful of the surrounding space, which it approaches with deeds that promote its perception and a man-sized experience. A dynamic discovery of space that is allowed, among other things, by the possible interaction with sensors, the Artemide App and advanced intelligences.





ROSYMMETRIC  
EMISSION


ASYMMETRIC  
EMISSION

ROSYMMETRIC  
EMISSION


ASYMMETRIC  
EMISSION



FUNCTIONAL LIGHT  
ROSYMMETRIC EMISSION



FUNCTIONAL LIGHT  
ASYMMETRIC EMISSION



# Walking head pole typologies

## FUNCTIONAL LIGHT



ROTSYMMETRIC EMISSION



S 2x63°  
10,3W  
334 lm



ASYMMETRIC EMISSION



S 2x60° / 16°+54°  
10,3W  
455 lm

## LIGHT BLADE



RED EMISSION



GREEN EMISSION



BLUE EMISSION



WHITE EMISSION

# Walking wall typologies

## FUNCTIONAL LIGHT



ROTSYMMETRIC EMISSION



S 2x63°  
10,3W  
334 lm



ASYMMETRIC EMISSION



S 2x60° / 16°+54°  
10,3W  
455 lm

## LIGHT BLADE



RED EMISSION



GREEN EMISSION




BLUE EMISSION




WHITE EMISSION


# Walking pole configuration typologies




H.600



H. 900




H.2500














# Walking head colors






# WALKING - POLE

Black




## POLE 600

Pole configuration			Code
	Head	A Head	
	1x	60 h.	<b>T4505A30</b>
	2x90°	60 h.	<b>T4505B30</b>
	2x180°	60 h.	<b>T4505C30</b>
	3x270°	60 h.	<b>T4505D30</b>




## POLE 900

Pole configuration				Code
	Head	A Head up	B Head down	
	1x	90 h.		<b>T4506A30</b>
	2x90°	90 h.		<b>T4506B30</b>
	2x180°	90 h.		<b>T4506C30</b>
	3x180°	90 h.		<b>T4506D30</b>
	2x90°	90 h.	60 h.	<b>T4506E30</b>
	2x90°	90 h.	60 h.	<b>T4506F30</b>
	2x180°	90 h.	60 h.	<b>T4506G30</b>
	3x180°	90 h.	60 h.	<b>T4506H30</b>



## POLE 2500

Pole configuration				Code
	Head	A Head up	B Head down	
	1x	250 h.		<b>T4507A30</b>
	2x90°	250 h.		<b>T4507B30</b>
	2x180°	250 h.		<b>T4507C30</b>
	3x180°	250 h.		<b>T4507D30</b>
	2x90°	250 h.	210 h.	<b>T4507E30</b>
	2x90°	250 h.	210 h.	<b>T4507F30</b>
	2x180°	250 h.	210 h.	<b>T4507G30</b>
	3x180°	250 h.	210 h.	<b>T4507H30</b>




# WALKING - HEAD POLE

Grey-white Ral 9002	Blue	Black	Red	Yellow	S	AS	MacAdam 2SDCM Life L70 (24K)>145000h CRI 90	IP65
								
20	50	30	40	60				


## FUNCTIONAL LIGHT

W	L. Cable	Beam	Flux	CCT	Code
10,3 W	270	S	334 lm	3000K	<b>T4501SM0.</b> 20/30/40/50/60
		AS	455 lm	3000K	<b>T4501AS0.</b> 20/30/40/50/60



## LIGHT BLADE

W	L. Cable	Light color	Code
10,3 W	270	Red	<b>T4501LR0.</b> 20/30/40/50/60
		Green	<b>T4501LG0.</b> 20/30/40/50/60
		Blue	<b>T4501LB0.</b> 20/30/40/50/60
		White	<b>T4501LW0.</b> 20/30/40/50/60






# WALKING - WALL

Grey-white Ral 9002	Blue	Black	Red	Yellow	S	AS	MacAdam 2SDCM Life L70 (24K)>145000h CRI 90	IP65
								
20	50	30	40	60				


## FUNCTIONAL LIGHT

W	L. Cable	Beam	Flux	CCT	Code
10,3 W	270	S	334 lm	3000K	<b>T4503SM0.</b> 20/30/40/50/60
		AS	455 lm	3000K	<b>T4503AS0.</b> 20/30/40/50/60



## LIGHT SIGNS

W	L. Cable	Light color	Code
10,3 W	270	Red	<b>T4503LR0.</b> 20/30/40/50/60
		Green	<b>T4503LGO.</b> 20/30/40/50/60
		Blue	<b>T4503LB0.</b> 20/30/40/50/60
		White	<b>T4503LW0.</b> 20/30/40/50/60



## Headquarters

**Artemide S.p.A.**  
Via Bergamo, 18  
20010 Pregnana Milanese (MI), Italy  
Tel. +39 02 93518.1  
Tel. +39 02 93526.1  
Numero verde 800 834 093  
(from Italy only)  
info@artemide.com  
artemide.com

## Communication and Marketing Department

Via Canova, 34  
20145 Milan (MI), Italy  
Tel. +39 02.349611  
marketing@artemide.com  
artemide.com

Artemide S.p.A.  
si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.  
reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A.  
se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A.  
behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildeten Produkte zu ändern.

Artemide S.p.A.  
se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018