

La Linea



Artemide®

Authors

BIG - Bjarke Ingels Group

BIG is a Copenhagen, New York, London and Barcelona based group of architects, designers, urbanists, landscape professionals, interior and product designers, researchers and inventors. The office is currently involved in a large number of projects throughout Europe, North America, Asia and the Middle East.

BIG's architecture emerges out of a careful analysis of how contemporary life constantly evolves and changes. Not least due to the influence from multicultural exchange, global economical flows and communication technologies, that all together require new ways of architectural and urban organization. They believe that in order to deal with today's challenges, architecture can profitably move into a field that has been largely unexplored. A pragmatic utopian architecture that steers clear of the petrifying pragmatism of boring boxes and the naive utopian ideas of digital formalism. Like a form of programmatic alchemy, they create architecture by mixing conventional ingredients such as living, leisure, working, parking and shopping. By hitting the fertile overlap between pragmatic and utopia, they once again find the freedom to change the surface of our planet, to better fit contemporary life forms.



Jakob and Bjarke Ingels
Photo by Flemming Leitorp

La Linea

BIG
2019



**INNOVATIONSPREIS
ARCHITEKTUR +
TECHNIK**

2020 AUSZEICHNUNG



For further information on La Linea
visit artemide.com

PATENT OF
INVENTION

“The flexibility enables us to move
and interact with the environment
in new and unpredictable ways.
The possibilities are endless!”
BIG



in (IP20)



La Linea is inclusive

La Linea turns light into an ideal fixture for outdoor spaces, architectures, parks, or public and urban areas to requalify common spaces, create social and engaging landscapes, and promote relations between people and their surroundings.

La Linea
Ø40 x 2500/5000 mm
Total Power: 15W/m (from
-20°C to +40°C)
IP20/65

(IP65) out



+40°



-20°





La Linea is flexible


La Linea is a flexible tube of light, capable to freely twist and turn in space according to undefined geometries.




Light at 360°









La Linea is innovative

Its patented section brings together several types of intelligence connected with optical, as well as material, mechanical, manufacturing principles and sustainable values, which take care of each individual aspect of the product's life stages.

Endless applications

















Rense, Reggio Emilia, Italy, Ph. Michele Nastasi | 2024





LA LINEA

White



Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 2SDCM
Life L70 (6k) 36000h
CRI 95

IP65



LA LINEA

La Linea 2,5m

Length	W	Flux	CCT
2500 mm	13,2W/m	960 lm/m	3000K

Dimmable

Code
T4601010



Ø 40 mm

+ Plastic fixing supports included (5 pcs)

DRIVER

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Class	Dimming	Code
90W	210-240	250	63	38	65	⊕	0-10 / On-Off	DV1075
90W	210-240	250	63	38	65	⊞	DALI / On-Off	DV1076
90W	110-240	250	100	52	20	⊞	PUSH & APP	DV1075APP

POWER KIT

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Class	Dimming	Code
96W	110-240	400	110	52	20	⊕	Undimerable	A4681210
96W	110-240	400	110	52	20	⊕	DALI / 0-10 / PUSH	A4681010
96W	110-240	400	110	52	20	⊕	PUSH & APP	A4681010APP
96W	110-240	400	104	61	65	⊕	PUSH & APP	T4681010APP

ADDITIONAL FIXING SUPPORTS

	Code
Plastic wall/ceiling fixing supports (5 pcs) For indoor	R305151
Metallic wall/ceiling fixing supports (5 pcs) For outdoor	R304975

For total adhesion to surfaces the ideal distance between supports 0,6 m.

LA LINEA

White



Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 2SDCM
Life L70 (6k) 36000h
CRI 95

IP65

LA LINEA

La Linea 5m

Length	W	Flux	CCT
5000 mm	13,2W/m	960 lm/m	3000K

Dimmable

Code
T4600010



Ø 40 mm

+ Plastic fixing supports included (10 pcs)

DRIVER

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Class	Dimming	Code
120W	220-240	300	40	30	20	⊕	On-Off	DV1033
90W	210-240	250	63	38	65	⊞	0-10 / On-Off	DV1075
90W	210-240	250	63	38	65	⊞	DALI / On-Off	DV1076
90W	110-240	250	100	52	20	⊞	Push & APP	DV1075APP

POWER KIT

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Class	Dimming	Code
96W	110-240	400	110	52	20	⊕	Undimmable	A4681210
96W	110-240	400	110	52	20	⊕	DALI / 0-10 / Push	A4681010
96W	110-240	400	110	52	20	⊕	Push & APP	A4681010APP
96W	110-240	400	104	61	65	⊕	Push & APP	T4681010APP

FIXING KIT

	Code
Plastic wall/ceiling fixing supports (5 pcs) For indoor	R305151
Plastic wall/ceiling fixing supports (5 pcs) For outdoor	R304975

For total adhesion to surfaces the ideal distance between supports 0,6 m.

LA LINEA RECESSED

White




Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 2SDCM
Life L70 (6k) 36000h
CRI 95

IP65


TRIM

	Length	W	Flux	CCT	Code
La Linea trim + 2 kit recessed + Plastic fixing supports included (5 pcs)	2500 mm	13,2W/m	960 lm/m	3000K	T4601210
La Linea trim + 2 kit recessed + Plastic fixing supports included (10 pcs)	5000 mm	13,2W/m	960 lm/m	3000K	T4600410



TRIMLESS

	Length	W	Flux	CCT	Code
La Linea trim + 2 kit recessed + Plastic fixing supports included (5 pcs)	2500 mm	13,2W/m	960 lm/m	3000K	T4601110
La Linea trim + 2 kit recessed + Plastic fixing supports included (10 pcs)	5000 mm	13,2W/m	960 lm/m	3000K	T4600310




DRIVER

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Class	Dimming	Code
120W	220-240	250	63	38	20	⊕	On-Off	DV1033
90W	210-240	250	63	38	65	⊕	On-Off	DV1075
90W	210-240	250	63	38	65	⊕	DALI / On-Off	DV1076
90W	110-240	250	100	52	20	⊕	Push & APP	DV1075APP

ADDITIONAL FIXING SUPPORTS


	Code
Plastic wall/ceiling fixing supports (5 pcs) For indoor	R305151
Plastic wall/ceiling fixing supports (5 pcs) For outdoor	R304975

For total adhesion to surfaces the ideal distance between supports 0,6 m.



La Linea Recessed

With the new recessed accessories La Linea can be suspended from the extremities and can freely define the softly curving geometries during installation in the space.





Private Residence, Meda, Italy, Ph. Marco Cattaneo | 2023

LA LINEA SMD

White



Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 2SDCM
Life L70 (6k) 36000h
CRI 95

IP65

LA LINEA SMD

	Length	W	Flux	CCT	Code
La Linea + 2 kit SMD + Plastic fixing supports included (5 pcs)	2500 mm	13,2W/m	960 lm/m	3000K	T4601310
La Linea + 2 kit SMD + Plastic fixing supports included (10 pcs)	5000 mm	13,2W/m	960 lm/m	3000K	T4600510



ADDITIONAL FIXING SUPPORTS

	Code
Plastic wall/ceiling fixing supports (5 pcs) For indoor	R305151
Plastic wall/ceiling fixing supports (5 pcs) For outdoor	R304975

For total adhesion to surfaces the ideal distance between supports 0,6 m.



La Linea
SMD



BIG
BJARKE INGELS GROUP





La Linea Suspended Back Bone


La Linea is a basic principle that generates an open system and a comprehensive relation with space and humans.

It easily fits into indoor and outdoor spaces by leveraging on an unprecedented combination of factors, including quality of light, IP protection grade, flexibility, modularity. BIG's idea is once again transposed, thanks to the know-how of Artemide, into a product that looks basic but it is rich of technological innovation.

Back Bone is a Line with an aluminum back bone is possible to suspend La Linea modules creating linear or curved geometries in custom composition.

















La Linea 25





La Linea 25

La Linea 25 increasingly becomes a communicative as well as a functional tool, adding values and meanings to its light through the expressiveness of its graphic sign.

It has excellent light performance in terms of quantity and quality, allowing not only the characterisation of a space but also its correct lighting.

The slim section with lengths of 5, 10 and 20 meters can be overlapped to create weaving and leaving the freedom to follow complex geometries like figures created by a single line. It combines innovation with emotion, liaising with man-built and natural spaces in which it is applied. It is sustainable, reconfigurable and long-lasting.

La Linea 25

Ø25 x 5000/10000/ 20000 mm

Total Power: 12,5W/m

(from -20°C to +40°C)

IP65

LA LINEA 25

White



Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 3SDCM
Life L70 (6k) 36000h
CRI90

IP65



LA LINEA 25 5 m

Length	W	Flux	CCT	Dimmable Code
5000 mm	62,5W/m	4750 lm/m	3000K	T4620010

+ Plastic fixing supports included (11 pcs)



Ø 25 mm

LA LINEA 25 10 m

Length	W	Flux	CCT	Dimmable Code
10000 mm	125W/m	9500 lm/m	3000K	T4621010

+ Plastic fixing supports included (21 pcs)



Ø 25 mm

DRIVER

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Class	Dimming	Code
90W	210-240	250	63	38	65	⊕	0-10 / On-Off	DV1075
90W	210-240	250	63	38	65	⊞	DALI / On-Off	DV1076
90W	110-240	250	100	52	20	⊞	PUSH & APP	DV1075APP

POWER KIT

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Class	Dimming	Code
96W	110-240	400	110	52	20	⊕	Undimerable	A4681210
96W	110-240	400	110	52	20	⊕	DALI / 0-10 / PUSH	A4681010
96W	110-240	400	110	52	20	⊕	PUSH & APP	A4681010APP
96W	110-240	400	104	61	65	⊕	PUSH & APP	T4681010APP

ADDITIONAL FIXING SUPPORTS

Code
Y20600095

Plastic wall/ceiling fixing supports (2 pcs)
For indoor

For total adhesion to surfaces the ideal distance between supports 0,5 m.

LA LINEA 25

White



Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 3SDCM
Life L70 (6k) 36000h
CRI90

IP65



LA LINEA 25 20 m

Length	W	Flux	CCT
20000 mm	250W/m	19000 lm/m	3000K

Dimmable Code
T4622010



+ Plastic fixing supports included (64 pcs)

DRIVER

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Class	Dimming	Code
320W	90-305	250	68	40	65	□	On-Off	DV1107
320W	100-240	250	68	40	65	□	DALI	DV1108
320W	90-305	250	68	40	20	⊕	Push & APP	DV1107APP

ADDITIONAL FIXING SUPPORTS

Code
Y20600095


Plastic wall/ceiling fixing supports(2 pcs)
For indoor

For total adhesion to surfaces the ideal distance between supports 0,5 m.

La Linea 25 Earth



La Linea 25 Tree





La Linea is compatible with **Artemide App**

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.



Asserting electronic intelligence

Download Artemide App
and find more information on
artemide.com



Headquarters

Artemide S.p.A.

Via Bergamo, 18
20006 Pregnana Milanese (MI), Italy
Tel. +39 02 93518.1
Tel. +39 02 93526.1
Numero verde 800 834 093
(from Italy only)
info@artemide.com
artemide.com

Artemide S.p.A.

si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.

reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A.

se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A.

behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildeten Produkte zu ändern.

Artemide S.p.A.

se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.

2026



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018