

Luminaire


Code AT24705
Name A.39 DIR/IND CTRL EMIS 2960MM 840 ND SIL

Measurement

Code FTS1801928-A
Name A.39 DIR/IND CTRL EMIS 2960MM 840 ND SIL

Luminaire Flux	12984 lm	Luminaire Power	149.0 W	Efficacy	87.141 lm/W	Efficiency	100.00%
Source Flux	12984 lm	Maximum value	238.54 cd/klm	Position	C=0.00 G=179.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2960 mm	Width	45 mm	Height	85 mm
Rectangular Luminous Area		Length	2960 mm	Width	40 mm	Height	0 mm
Horizontal Luminous Area		0.118400 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.028644 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		03-03-2025		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		12984 lm	
LED Flux=22158lm LED Power=122W Eff=59% EfcLed=181lm/W EfcLum=87lm/W CCT=4000K Ra=90 R9=50 SDCM=3 L70(17k)=102000h							
C.I.E.	72 97 99 39 100			D DIN 5040		D62	
F UTE	0.39 B + 0.61 T			B NBN		BZ 2	

2960mm x 45mm



Semipiani C

180.0 — 0.0
270.0 — 90.0

ULOR 60.95 %

DLOR 39.05 %

RN 60.95 %

