

## Luminaire


Code 1853010A  
Name DREISPITZ 150 S IND DIF GRN

## Measurement

Code FTS2500089  
Name DREISPITZ 150 S IND DIF GRN

Luminaire Flux	3827 lm	Luminaire Power	33.0 W	Efficacy	115.970 lm/W	Efficiency	100.00%
Source Flux	3827 lm	Maximum value	175.28 cd/klm	Position	C=0.00 G=178.00	CG	Double Symmetrical
Rectangular Luminaire		Length	1412 mm	Width	99 mm	Height	74 mm
Rectangular Luminous Area		Length	1400 mm	Width	60 mm	Height	30 mm
Horizontal Luminous Area		0.084000 m2		Emitting area on Plane 180°		0.042000 m2	
Emitting area on Plane 0°		0.042000 m2		Emitting area on Plane 270°		0.001800 m2	
Emitting area on Plane 90°		0.001800 m2		Glare area at 76°		0.061074 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		30-05-2025		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		3827 lm	
LED Flux=5168lm LED Power=30W Eff=74% EfcLed=171lm/W EfcLum=116lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(9k)>50000h							
C.I.E.	18 43 71 32 100			D DIN 5040		D12	
F UTE	0.32 J + 0.68 T			B NBN		BZ 9	

1412mm x 99mm



Semipiani C

180.0 — 0.0  
270.0 — 90.0

ULOR 68.24 %  
DLOR 31.76 %  
RN 68.24 %

