

## Luminaire


Code 1862010APP  
Name DREISPITZ 120 C/W DIF GRN APP

## Measurem.

Code FTS2500039  
Name DREISPITZ 120 C/W DIF GRN APP

Luminaire Flux	3007 lm	Luminaire Power	28.0 W	Efficacy	107.393 lm/W	Efficiency	100.00%
Source Flux	3007 lm	Maximum value	175.28 cd/klm	Position	C=0.00 G=2.00	CG	Double Symmetrical
Rectangular Luminaire		Length	1132 mm	Width	99 mm	Height	74 mm
Rectangular Luminous Area		Length	1120 mm	Width	60 mm	Height	29 mm
Horizontal Luminous Area		0.067200 m <sup>2</sup>		Emitting area on Plane 180°		0.033600 m <sup>2</sup>	
Emitting area on Plane 0°		0.033600 m <sup>2</sup>		Emitting area on Plane 270°		0.001800 m <sup>2</sup>	
Emitting area on Plane 90°		0.001800 m <sup>2</sup>		Glare area at 76°		0.048859 m <sup>2</sup>	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		13-02-2025		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		3007 lm	
LED Flux=4060lm LED Power=24W Eff=74% EfcLed=171lm/W EfcLum=107lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(9k)>50000h							
C.I.E.	37 65 85 68 100			D DIN 5040	B21		
F UTE	0.68 H + 0.32 T			B NBN	BZ 6		

1132mm x 99mm



Semipiani C

180.0 — 0.0  
270.0 — 90.0

ULOR 31.76 %

DLOR 68.24 %

RN 31.76 %

