La Linea



Artemide®

Authors
BIG - Bjarke Ingels Group

BIG is a Copenhagen, New York, London and Barcelona based group of architects, designers, urbanists, landscape professionals, interior and product designers, researchers and inventors. The office is currently involved in a large number of projects throughout Europe, North America, Asia and the Middle East.
BIG's architecture emerges out of a careful analysis of how contemporary life constantly evolves and changes. Not least due to the influence from multicultural exchange, global economical flows and communication technologies, that all together require new ways of architectural and urban organization. They believe that in order to deal with today's challenges, architecture can profitably move into a field that has been largely unexplored. A pragmatic utopian architecture that steers clear of the petrifying pragmatism of boring boxes and the naïve utopian ideas of digital formalism. Like a form of programmatic alchemy, they create architecture by mixing conventional ingredients such as living, leisure, working, parking and shopping. By hitting the fertile overlap between pragmatic and utopia, they once again find the freedom to change the surface of our planet, to better fit contemporary life forms.



Jakob and Bjarke Ingels
Photo by Flemming Leitorp

La Linea

BIG
2019

Wallpaper* DESIGN AWARDS 2020 WINNER

WINNER DESIGN AWARDS 2020 BO BEDRE • COSTUME LIVING • NORDIC LIVING • BOLIG MAGASINET •

INNOVATIONSPREIS ARCHITEKTUR + TECHNIK
2020 AUSZEICHNUNG



For further information on La Linea
visit artemide.com

PATENT OF
INVENTION

“The flexibility enables us to move and interact with the environment in new and unpredicatable ways. The possiblities are endless!”
BIG



in (IP20)



La Linea is inclusive

La Linea turns light into an ideal fixture for outdoor spaces, architectures, parks, or public and urban areas to requalify common spaces, create social and engaging landscapes, and promote relations between people and their surroundings.

La Linea
Ø40 x 2500/5000 mm
Total Power:15W/m (from
-20°C to +40°C)
IP20/65

(IP65) out





La Linea is flexible

La Linea is a flexible tube of light, capable to freely twist and turn in space according to undefined geometries.



Light at 360°






Ø 40 mm
IP65
Wall/ceiling support
2,5m and 5m length
Flexibility in bending
Electrical Wire



La Linea is innovative

Its patented section brings together several types of intelligence connected with optical, as well as material, mechanical, manufacturing principles and sustainable values, which take care of each individual aspect of the product's life stages.

Endless applications





Private Villa, Catania, Italy, Ph. Federico Villa



Private residence, Santa Margherita (Genova), Italy, Ph. Federico Villa





Ray Studio, Paris, France, Ph. Raphael Dautigny | 2024





IDX - Your Stage!, Hamburg, Germany, Ph. Linus Lintner | 2023

→ 21

Reire, Reggio Emilia, Italy, Ph. Michele Nastasi | 2024







LA LINEA

White

Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 2SDCM
Life L70 (6k) 36000h
CRI 95

IP65

LA LINEA

La Linea 2,5m				**Dimmable**
Length	W	Flux	CCT	Code
2500 mm	13,2W/m	960 lm/m	3000K	**T4601010**

+ Plastic fixing supports included (5 pcs)





Ø 40 mm

DRIVER

Power	Vac	L_{mm}	W_{mm}	H_{mm}	IP	Class	Dimming	Code
90W	210-240	250	63	38	65	⏚	0-10 / On-Off	**DV1075**
90W	210-240	250	63	38	65	⧈	DALI / On-Off	**DV1076**
90W	110-240	250	100	52	20	⧈	PUSH & APP	**DV1075APP**

POWER KIT

Power	Vac	L_{mm}	W_{mm}	H_{mm}	IP	Class	Dimming	Code
96W	110-240	400	110	52	20	⏚	Undimerable	**A4681210**
96W	110-240	400	110	52	20	⏚	DALI / 0-10 / PUSH	**A4681010**
96W	110-240	400	110	52	20	⏚	PUSH & APP	**A4681010APP**
96W	110-240	400	104	61	65	⏚	PUSH & APP	**T4681010APP**

ADDITIONAL FIXING SUPPORTS

	Code
Plastic wall/ceiling fixing supports (5 pcs) For indoor	**R305151**
Metallic wall/ceiling fixing supports (5 pcs) For outdoor	**R304975**

For total adhesion to surfaces the ideal distance between supports 0,6 m.

LA LINEA

White

Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 2SDCM
Life L70 (6k) 36000h
CRI 95

IP65

LA LINEA

La Linea 5m			
Length	W	Flux	CCT
5000 mm	13,2W/m	960 lm/m	3000K

+ Plastic fixing supports included (10 pcs)

Dimmable
Code
T4600010





Ø 40 mm

DRIVER

Power	Vac	Lmm	Wmm	Hmm	IP	Class	Dimming	Code
120W	220-240	300	40	30	20		On-Off	**DV1033**
90W	210-240	250	63	38	65		0-10 / On-Off	**DV1075**
90W	210-240	250	63	38	65		DALI / On-Off	**DV1076**
90W	110-240	250	100	52	20		Push & APP	**DV1075APP**

POWER KIT

Power	Vac	Lmm	Wmm	Hmm	IP	Class	Dimming	Code
96W	110-240	400	110	52	20		Undimmable	**A4681210**
96W	110-240	400	110	52	20		DALI / 0-10 / Push	**A4681010**
96W	110-240	400	110	52	20		Push & APP	**A4681010APP**
96W	110-240	400	104	61	65		Push & APP	**T4681010APP**

FIXING KIT

	Code
Plastic wall/ceiling fixing supports (5 pcs) For indoor	**R305151**
Plastic wall/ceiling fixing supports (5 pcs) For outdoor	**R304975**

For total adhesion to surfaces the ideal distance between supports 0,6 m.

LA LINEA RECESSED

White

Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 2SDCM
Life L70 (6k) 36000h
CRI 95

IP65

TRIM

	Length	W	Flux	CCT	Code
La Linea trim + 2 kit recessed + Plastic fixing supports included (5 pcs)	2500 mm	13,2W/m	960 lm/m	3000K	**T4601210**
La Linea trim + 2 kit recessed + Plastic fixing supports included (10 pcs)	5000 mm	13,2W/m	960 lm/m	3000K	**T4600410**





TRIMLESS

	Length	W	Flux	CCT	Code
La Linea trim + 2 kit recessed + Plastic fixing supports included (5 pcs)	2500 mm	13,2W/m	960 lm/m	3000K	**T4601110**
La Linea trim + 2 kit recessed + Plastic fixing supports included (10 pcs)	5000 mm	13,2W/m	960 lm/m	3000K	**T4600310**





DRIVER

Power	Vac	L_{mm}	W_{mm}	H_{mm}	IP	Class	Dimming	Code
120W	220-240	250	63	38	20	⏚	On-Off	**DV1033**
90W	210-240	250	63	38	65	⏚	On-Off	**DV1075**
90W	210-240	250	63	38	65	⏚	DALI / On-Off	**DV1076**
90W	110-240	250	100	52	20	⏚	Push & APP	**DV1075APP**

ADDITIONAL FIXING SUPPORTS

	Code
Plastic wall/ceiling fixing supports (5 pcs) For indoor	**R305151**
Plastic wall/ceiling fixing supports (5 pcs) For outdoor	**R304975**

For total adhesion to surfaces the ideal distance between supports 0,6 m.



La Linea Recessed

With the new recessed accessories La Linea can be suspended from the extremities and can freely define the softly curving geometries during installation in the space.



IDX - Your Stage!, Hamburg, Germany, Ph. Linus Lintner | 2023

Private Residence, Meda, Italy, Ph. Marco Cattaneo | 2023



LA LINEA SMD

White

Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 2SDCM
Life L70 (6k) 36000h
CRI 95

IP65

LA LINEA SMD

	Length	W	Flux	CCT	Code
La Linea + 2 kit SMD + Plastic fixing supports included (5 pcs)	2500 mm	13,2W/m	960 lm/m	3000K	**T4601310**
La Linea + 2 kit SMD + Plastic fixing supports included (10 pcs)	5000 mm	13,2W/m	960 lm/m	3000K	**T4600510**







ADDITIONAL FIXING SUPPORTS

	Code
Plastic wall/ceiling fixing supports (5 pcs) For indoor	**R305151**
Plastic wall/ceiling fixing supports (5 pcs) For outdoor	**R304975**

For total adhesion to surfaces the ideal distance between supports 0,6 m.



La Linea SMD


BIG
BJARKE INGELS GRO JP





La Linea Suspended Back Bone

La Linea is a basic principle that generates an open system and a comprehensive relation with space and humans.

It easily fits into indoor and outdoor spaces by leveraging on an unprecedented combination of factors, including quality of light, IP protection grade, flexibility, modularity.
BIG's idea is once again transposed, thanks to the know-how of Artemide, into a product that looks basic but it is rich of technological innovation.

Back Bone is a Line with an aluminum back bone is possible to suspend La Linea modules creating linear or curved geometries in custom composition.

















La Linea 25




La Línea
BIG

La Linea 25

La Linea 25 increasingly becomes a communicative as well as a functional tool, adding values and meanings to its light through the expressiveness of its graphic sign.
It has excellent light performance in terms of quantity and quality, allowing not only the characterisation of a space but also its correct lighting.

The slim section with lengths of 5, 10 and 20 meters can be overlapped to create weaving and leaving the freedom to follow complex geometries like figures created by a single line. It combines innovation with emotion, liaising with man-built and natural spaces in which it is applied. It is sustainable, reconfigurable and long-lasting.

La Linea 25
Ø25 x 5000/10000/ 20000 mm
Total Power: 12,5W/m
(from -20°C to +40°C)
IP65

LA LINEA 25

White

Driver supplied separately.
Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 3SDCM
Life L70 (6k) 36000h
CRI90

IP65

LA LINEA 25 5 m

Length	W	Flux	CCT	**Dimmable** Code
5000 mm	62,5W/m	4750 lm/m	3000K	**T4620010**

+ Plastic fixing supports included (11 pcs)



Ø 25 mm

LA LINEA 25 10 m

Length	W	Flux	CCT	**Dimmable** Code
10000 mm	125W/m	9500 lm/m	3000K	**T4621010**

+ Plastic fixing supports included (21 pcs)



Ø 25 mm

DRIVER

Power	Vac	L_{mm}	W_{mm}	H_{mm}	IP	Class	Dimming	Code
200W	100-305	250	68	40	65	⏚	0-10 / On-Off	**DV1105**
200W	100-305	255	68	40	65	⧈	DALI	**DV1106**
200W	100-240	240	68	40	20	⧈	PUSH & APP	**DV1105APP**

POWER KIT

Power	Vac	L_{mm}	W_{mm}	H_{mm}	IP	Class	Dimming	Code
96W	110-240	400	110	52	20	⏚	Undimerable	**A4681210**
96W	110-240	400	110	52	20	⏚	DALI / 0-10 / PUSH	**A4681010**
96W	110-240	400	110	52	20	⏚	PUSH & APP	**A4681010APP**
96W	110-240	400	104	61	65	⏚	PUSH & APP	**T4681010APP**

ADDITIONAL FIXING SUPPORTS

	Code
Plastic wall/ceiling fixing supports (2 pcs) For indoor	**Y20600095**

For total adhesion to surfaces the ideal distance between supports 0,5 m.

LA LINEA 25

White

Product code includes plastic fixing supports for wall/ceiling installation, additional kits available separately under specific code.

MacAdam 3SDCM
Life L70 (6k) 36000h
CRI90

IP65

LA LINEA 25 20 m

Length	W	Flux	CCT
20000 mm	250W/m	19000 lm/m	3000K

+ Plastic fixing supports included (64 pcs)

Dimmable
Code
T4622010



Ø 25 mm

DRIVER

Power	Vac	L_{mm}	W_{mm}	H_{mm}	IP	Class	Dimming	Code
320W	90-305	250	68	40	65	⧈	On-Off	**DV1107**
320W	100-240	250	68	40	65	⧈	DALI	**DV1108**
320W	90-305	250	68	40	20	⏚	Push & APP	**DV1107APP**

ADDITIONAL FIXING SUPPORTS

	Code
Plastic wall/ceiling fixing supports(2 pcs) For indoor	**Y20600095**

For total adhesion to surfaces the ideal distance between supports 0,5 m.

La Linea 25
Earth



La Linea 25
Tree







La Linea
is compatible with
Artemide App

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.

Asserting electronic intelligence

Download Artemide App
and find more information on
artemide.com



Artemide®

Headquarters
Artemide S.p.A.
Via Bergamo, 18
20006 Pregnana Milanese (MI), Italy
Tel. +39 02 93518.1
Tel. +39 02 93526.1
Numero verde 800 834 093
(from Italy only)
info@artemide.com
artemide.com

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Artemide S.p.A.
si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.
reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A.
se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A.
behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildetem Produkte zu ändern.

Artemide S.p.A.
se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálgo.

2026

For information regarding distributors and points of sale, please visit our website artemide.com or email: info@artemide.com